



Removable Plug Lock

Medeco® offers two models of removable plug locks that allow access to internal latching mechanisms with the 90 degree rotation and withdrawal of the cylinder plug. Specifically designed for vending equipment, money changers, and fare collection systems, the 64W0550 series is recommended in any high risk application where equipment is susceptible to forced entry and vandalism. Models are available to fit recessed mounts or surface mounts. Available in a brass or hardened steel shell for applications prone to the most abusive forms of physical attack.



The Medeco³ unique design provides triple locking action, making the locks virtually pickproof. All Medeco³ keys and locks are protected under patent trademark and copyright laws. Medeco³ keys may only be duplicated by Medeco or an authorized Medeco Service Center, and only at your request.

Benefits:

- ▼ Patented Medeco³ keys may only be duplicated by Medeco or an authorized Medeco Service Center, and only at your request.
- ▼ Special angle cut keys are patent protected to guard against unauthorized duplication.
- ▼ Supported by Medeco factory trained service outlets.
- ▼ Unique elevating and rotating pin tumbler system is virtually pick proof

Applications:

Specifically designed for vending equipment, money changers and fare collection systems. Effective for applications prone to the most abusive forms of attack.

Warranty:

Warranted for two years against manufacturer's defects. See Medeco Limited Warranty for full details.

Technical Information:

Available in a 5 pin version.


Shell comes in a hardened steel or brass finish.

Shell head may be either tapered or square.

Finishes:

26 Satin chrome finish is standard.


Ordering Instructions



- Model Number**
- 0250 = 5 pin removable plug lock, 3/4" diameter, 1 keypull
 - 0251 = 5 pin removable plug lock, 3/4" diameter, 2 keypulls
 - 0550 = 5 pin removable plug lock, 1 1/8" diameter, steel shell
 - 0550A = 5 pin removable plug lock, 1 1/8" diameter, steel shell, rotated flats
 - 0550F = 5 pin removable plug lock, steel tapered shell
 - 0555 = 5 pin removable plug lock, 1 1/8" diameter, brass shell
 - 0555F = 5 pin removable plug lock, 1 1/8" diameter, brass tapered shell
 - * 0552F = 5 pin removable plug lock, 1 1/8" diameter, steel shell with spin shield

* Not available in Medeco3 Keyways.

Removable Plug Lock with Spin Shield



ITEM	DESCRIPTION
1	Key (Sold Separately)
2	Plug Assembly
3	Shell
4	Shield
5	1/8 - 12 Hex Nut


Specifications: Medeco 64W0550 series removable plug cylinders allow access to internal latching mechanisms with the 90 degree rotation and withdrawal of the cylinder plug. Model number 0552 features a hardened steel shell and spinning plug shield to resist forced entry and vandalism. Typical applications include vending equipment, bill changers, and fare collection systems, anywhere additional security beyond standard cam locks is required. Medeco removable plug locks are completely serviceable, and can be re-keyed to new codes as required.

Material: plug made of chrome plated (626 finish) half hard brass. Shell and shield are made of hardened chrome plated (626 finish) steel.

Operation: Five pin model available. 90 degree, clockwise (or counterclockwise) rotation and withdrawal to access internal latching mechanism.


Removable Plug Lock with Spin Shield

Dimensions:



Technical Drawings

3/4" REMOVABLE PLUG LOCK



Part #

Key Pulls


64X0250X

One

64X0251X

Two

1 1/8" REMOVABLE PLUG LOCK



Part #

Key Pulls

Flats

Mounting

64X0550 X -

One

Vertical

Flush (Square Bezel)

64X0550AX -

One

Horizontal

Flush (Square Bezel)

64X0550FX -

Two

Vertical

Surface (Tapered Bezel)